



CONSTRUCT THE FIRST-CLASS ENTERPRISE
CREATE AN EXCELLENT

kaice

宁波凯思泵业有限公司
NINGBO KAICE PUMP CO.,LTD

地址: 中国浙江宁波市海曙区高桥镇秀丰工业区三成路82号
电话: +86-574-88014811 82813899
传真: +86-574-88014499
邮编: 315174
邮箱: ljj@kaicepump.com
网址: www.kaicepump.com


Add: No. 82 Sancheng Road, Xiufeng Industrial Zone Gaoqiao County Ningbo, China
Tel: +86-574-88014811 82813899
Fax: +86-574-88014499
P.C: 315174
E-mail: ljj@kaicepump.com
Http: www.kaicepump.com

Intertek  Intertek  CE IPX8
www.kaicepump.com



kaice

宁波凯思泵业有限公司
NINGBO KAICE PUMP CO.,LTD





kaice introduction


Ningbo Kaice Pump Co.,Ltd.is located in Ningbo, near airport 15 min. Afteryears of haedship, the company introduces a larde number of advanced and professional technique and technicians, expanding advanced production and detection equipments, so that we have developed 6 series and over 100 species products, such as, household water pumps, garden tools,electrical tools, etc.At present, our company strength has developed into a certain scale. Focusing on credibility, pragmatic, innovation, hardworking, diligent and professional principle,we devote to the development and research of household water pump series and high quality garden tool series and electrical tool series products.The company products have passed through European GS, CE, EMC, Rohs and other security certification, Currently most of the products are exported to Europe RUSSIA market, and has obtained the good customer preliminary evaluation for local economy,creating a certain social benefits and economic benefits.

The company adheres to "to the quality strives for the survival, to management for efficiency, science & technology to seek development, the market" the management principle of "innovation, pragmatism, the enterprise tenet of" customers both at home and abroad, and strive to produce the high quality demand of high quality products. Sincerely cooperate with friends form all walks of life to a great enthusiasm, and common development.



www.kaicepump.com

Business goal: Construct the first-class enterprise,create an excellent



Honor is sure, more responsibility

We won the honor, is to our work, and at the same time, the affirmation of the development of our future encouragement.


kaice the firm will innovation, science and technology and product application perfect union.



MULTI-STAGE PUMP



KQXXX10



230V 115V 50Hz 60Hz

Specifications



P1



Q max



H max



m



mm




mm

Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.Depth	Max.Grain Size	Dia.of Pipe
KQ90010	KQ-KC-90010	900W	5000l/h	30m	8m	5mm	1" 1/4" 1 1/2"
KQ110010	KQ-KC-110010	1100W	5500l/h	35m	8m	5mm	1" 1/4" 1 1/2"



m



cm



cm/4pcs



Kg




pcs/20'CTN

Type	Certificate No.	Cable Length of cable	Package Size	Measurement	Weight Approx	Qty/20'CTN
KQ90010	KQ-KC-90010	H07RN-F 3G1.0mm ² ×10m	22x16x35cm	46x34x37cm/4pcs	30.14kg	2040pcs
KQ110010	KQ-KC-110010	H07RN-F 3G1.0mm ² ×10m	22x16x37cm	46x34x38.5/4pcs	27.64kg	2020pcs

VIBRATORY PUMP



KQXXX40(200;300W)



230V 115V 50Hz 60Hz



KQXXX40(500;600W)

Specifications



P1



Q max



H max



m



mm




mm

Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.Depth	Max.Grain Size	Dia.of Pipe
KQ20040	KQ-KC-20040	200W	1000l/h	40m	5m	/	1/2"
KQ30040	KQ-KC-30040	300W	1100l/h	50m	5m	/	1/2"
KQ50040	KQ-KC-50040	500W	1200l/h	60m	5m	/	1/2"
KQ60040	KQ-KC-60040	600W	1400l/h	70m	5m	/	1/2"



m



cm



cm/4pcs




Kg



pcs/20'CTN

Type	Certificate No.	Cable Length of cable	Package Size	Measurement	Weight Approx	Qty/20'CTN
KQ20040	KQ-KC-20040	H05RN-F 3G0.75mm ² × 10m	17 × 12 × 27cm	32 × 26 × 29cm/4pcs	13.6kg/15.0kg	3920pcs
KQ30040	KQ-KC-30040	H05RN-F 3G0.75mm ² × 10m	17 × 12 × 27cm	32 × 26 × 29cm/4pcs	13.8kg/15.2kg	3920pcs
KQ50040	KQ-KC-50040	H05RN-F 3G0.75mm ² × 10m	17 × 12 × 29cm	32 × 26 × 31cm/4pcs	15.4kg/16.9kg	3920pcs
KQ60040	KQ-KC-60040	H05RN-F 3G0.75mm ² × 10m	17 × 12 × 29cm	32 × 26 × 31cm/4pcs	15.6kg/17.0kg	3920pcs

CLEAN WATER PUMP



KQXXX3N



230V 115V 50Hz 60Hz



KQXXX3

Specifications



w



l/h



m



m




mm



Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.Depth	Max.Grain Size	Dia.of Pipe
KQ2003(N)	KQ-KC-200	200W	5500l/h	5m	5m	5mm	1" 1/4" 1 1/2"
KQ2503(N)	KQ-KC-250	250W	6000l/h	5.5m	5m	5mm	1" 1/4" 1 1/2"
KQ3503(N)	KQ-KC-350	350W	6500l/h	6.5m	5m	5mm	1" 1/4" 1 1/2"
KQ4003(N)	KQ-KC-400	400W	7500l/h	7m	5m	5mm	1" 1/4" 1 1/2"
KQ5003(N)	KQ-KC-500	500W	9500l/h	7.5m	7m	5mm	1" 1/4" 1 1/2"
KQ5503(N)	KQ-KC-550	550W	10000l/h	8m	7m	5mm	1" 1/4" 1 1/2"
KQ7503(N)	KQ-KC-750	750W	12000l/h	8.5m	7m	5mm	1" 1/4" 1 1/2"



m



cm



cm/4pcs




Kg



pcs/20'CTN

Type	Certificate No.	Cable Length of cable	Package Size	Measurement	Weight Approx	Qty/20'CTN
KQ2003(N)	KQ-KC-200	H05RN-F 3G0.75mm ² × 10m	20 × 14 × 31cm	42 × 30 × 33cm/4pcs	13.7kg/15.2kg	2856pcs
KQ2503(N)	KQ-KC-250	H05RN-F 3G0.75mm ² × 10m	20 × 14 × 31cm	42 × 30 × 33cm/4pcs	14.5kg/16.0kg	2856pcs
KQ3503(N)	KQ-KC-350	H05RN-F 3G0.75mm ² × 10m	20 × 14 × 31cm	42 × 30 × 33cm/4pcs	15.0kg/16.4kg	2856pcs
KQ4003(N)	KQ-KC-400	H05RN-F 3G0.75mm ² × 10m	20 × 14 × 31cm	42 × 30 × 33cm/4pcs	15.0kg/16.4kg	2856pcs
KQ5003(N)	KQ-KC-500	H05RN-F 3G1.0mm ² × 10m	20 × 14 × 31cm	42 × 30 × 33cm/4pcs	17.5kg/19.6kg	2856pcs
KQ5503(N)	KQ-KC-550	H05RN-F 3G1.0mm ² × 10m	20 × 14 × 31cm	42 × 30 × 33cm/4pcs	17.5kg/19.6kg	2856pcs
KQ7503(N)	KQ-KC-750	H07RN-F 3G1.0mm ² × 10m	20 × 14 × 31cm	42 × 30 × 33cm/4pcs	18.6kg/20.6kg	2856pcs

CLEAN WATER PUMP



KQXXX6



230V 115V 50Hz 60Hz



KQXXX7

Specifications



w



l/h



m



m




mm



Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.Depth	Max.Grain Size	Dia.of Pipe
KQ2006	KQ-KC-200	200W	4000l/h	4.5m	5m	5mm	1"
KQ2506	KQ-KC-250	250W	4500l/h	5m	5m	5mm	1"
KQ2007	KQ-KC-200	200W	5500l/h	5m	5m	5mm	1" 1/4"
KQ2507	KQ-KC-250	250W	6000l/h	5.5m	5m	5mm	1" 1/4"
KQ3507	KQ-KC-350	350W	6500l/h	6.5m	5m	5mm	1" 1/4"



m



cm



cm/4pcs




Kg



pcs/20'CTN

Type	Certificate No.	Cable Length of cable	Package Size	Measurement	Weight Approx	Qty/20'CTN
KQ2006	KQ-KC-200	H05RN-F 3G0.75mm ² × 10m	17 × 17 × 28cm	54 × 36 × 30cm/6pcs	13.7kg/15.2kg	2800pcs
KQ2506	KQ-KC-250	H05RN-F 3G0.75mm ² × 10m	17 × 17 × 28cm	54 × 36 × 30cm/6pcs	14.5kg/16.0kg	2800pcs
KQ2007	KQ-KC-200	H05RN-F 3G0.75mm ² × 10m	20 × 14 × 27cm	42 × 30 × 29cm/4pcs	13.7kg/15.2kg	3260pcs
KQ2507	KQ-KC-250	H05RN-F 3G0.75mm ² × 10m	20 × 14 × 27cm	42 × 30 × 29cm/4pcs	14.5kg/16.0kg	3260pcs
KQ3507	KQ-KC-350	H05RN-F 3G0.75mm ² × 10m	20 × 14 × 27cm	42 × 30 × 29cm/4pcs	15.4kg/16.9kg	3260pcs

CLEAN WATER PUMP



KQXXX24



230V 115V 50Hz 60Hz

Specifications



W



l/h



m



m



mm




mm

Type	Certificate No.	Rated Power	Max. Pump Rate	Max. Height	Max. Depth	Max. Grain Size	Dia. of Pipe
KQ25024	KQ-KC-200	200W	4200l/h	5.5m	5m	5mm	1"
KQ40024	KQ-KC-400	400W	4500l/h	7m	5m	5mm	1"



m



cm/4pcs




Kg



pcs/20'CTN

Type	Certificate No.	Cable Length of cable	Package Size	Measurement	Weight Approx	Qty/20'CTN
KQ25024	KQ-KC-200	H05RN-F 3G0.75mm ² ×10m	18x14x26cm	56x30x28cm/6pcs	13.7kg/15.2kg	2800pcs
KQ40024	KQ-KC-400	H05RN-F 3G0.75mm ² ×10m	18x14x26cm	56x30x28cm/6pcs	14.5kg/16.0kg	2800pcs

CLEAN WATER PUMP



KQXXX1



230V 115V 50Hz 60Hz



KQXXX2

Specifications



W



l/h



m



m



mm




mm

Type	Certificate No.	Rated Power	Max. Pump Rate	Max. Height	Max. Depth	Max. Grain Size	Dia. of Pipe
KQ2001(2)	KQ-KC-200	200W	4000l/h	5m	5m	5mm	1" 1/4" 1 1/2"
KQ2501(2)	KQ-KC-250	250W	6000l/h	5.5m	5m	5mm	1" 1/4" 1 1/2"
KQ3501(2)	KQ-KC-350	350W	6500l/h	6.5m	5m	5mm	1" 1/4" 1 1/2"
KQ4001(2)	KQ-KC-400	400W	7000l/h	7.5m	5m	5mm	1" 1/4" 1 1/2"
KQ5001(2)	KQ-KC-500	500W	10000l/h	8m	7m	5mm	1" 1/4" 1 1/2"
KQ5501(2)	KQ-KC-550	550W	11000l/h	8m	7m	5mm	1" 1/4" 1 1/2"
KQ7501(2)	KQ-KC-750	750W	12500l/h	8.5m	8m	5mm	1" 1/4" 1 1/2"
KQ9001(2)	KQ-KC-900	900W	15000l/h	9.5m	8m	5mm	1" 1/4" 1 1/2"



m



cm/4pcs



Kg




pcs/20'CTN

Type	Certificate No.	Cable Length of cable	Package Size	Measurement	Weight Approx	Qty/20'CTN
KQ2001(2)	KQ-KC-200	H05RN-F 3G0.75mm ² × 10m	22 × 16 × 31cm	46 × 34 × 33cm/4pcs	13.7kg/15.2kg	2300pcs
KQ2501(2)	KQ-KC-250	H05RN-F 3G0.75mm ² × 10m	22 × 16 × 31cm	46 × 34 × 33cm/4pcs	14.5kg/16.0kg	2300pcs
KQ3501(2)	KQ-KC-350	H05RN-F 3G0.75mm ² × 10m	22 × 16 × 31cm	46 × 34 × 33cm/4pcs	15.4kg/16.9kg	2300pcs
KQ4001(2)	KQ-KC-400	H05RN-F 3G0.75mm ² × 10m	22 × 16 × 31cm	46 × 34 × 33cm/4pcs	15.4kg/16.92kg	2300pcs
KQ5001(2)	KQ-KC-500	H05RN-F 3G1.0mm ² × 10m	22 × 16 × 35/31cm	46 × 34 × 37/33cm/4pcs	18.8kg/20.78kg	2040/2300pcs
KQ5501(2)	KQ-KC-550	H05RN-F 3G1.0mm ² × 10m	22 × 16 × 35/31cm	46 × 34 × 37/33cm/4pos	18.8kg/20.80kg	2040/2300pcs
KQ7501(2)	KQ-KC-750	H07RN-F 3G1.0mm ² × 10m	22 × 16 × 35cm	46 × 34 × 37cm/4pcs	19.8kg/21.80kg	2040pcs
KQ9001(2)	KQ-KC-900	H07RN-F 3G1.0mm ² × 10m	22 × 16 × 35cm	46 × 34 × 37cm/4pcs	21.7kg/23.72kg	2040pcs

CLEAN WATER PUMP



KQXXX4



230V 115V 50Hz 60Hz



KQXXX5

Specifications



Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.Depth	Max.Grain Size	Dia.of Pipe
KQ2004(5)	KQ-KC-200	200W	4000l/h	5m	5m	5mm	1" 1/4" 1 1/2"
KQ2504(5)	KQ-KC-250	250W	6000l/h	5.5m	5m	5mm	1" 1/4" 1 1/2"
KQ3504(5)	KQ-KC-350	350W	6500l/h	6.5m	5m	5mm	1" 1/4" 1 1/2"
KQ4004(5)	KQ-KC-400	400W	7000l/h	7.5m	5m	5mm	1" 1/4" 1 1/2"
KQ5004(5)	KQ-KC-500	500W	10000l/h	8m	7m	5mm	1" 1/4" 1 1/2"
KQ5504(5)	KQ-KC-550	550W	11000l/h	8m	7m	5mm	1" 1/4" 1 1/2"
KQ7504(5)	KQ-KC-750	750W	12500l/h	8.5m	8m	5mm	1" 1/4" 1 1/2"
KQ9004(5)	KQ-KC-900	900W	15000l/h	9.5m	8m	5mm	1" 1/4" 1 1/2"




Type	Certificate No.	Cable Length of cable	Package Size	Measurement	Weight Approx	Qty/20'CTN
KQ2004(5)	KQ-KC-200	H05RN-F 3G0.75mm ² × 10m	22 × 16 × 31cm	46 × 34 × 33cm/4pcs	13.7kg/15.2kg	2300pcs
KQ2504(5)	KQ-KC-250	H05RN-F 3G0.75mm ² × 10m	22 × 16 × 31cm	46 × 34 × 33cm/4pcs	14.5kg/16.0kg	2300pcs
KQ3504(5)	KQ-KC-350	H05RN-F 3G0.75mm ² × 10m	22 × 16 × 31cm	46 × 34 × 33cm/4pcs	15.4kg/16.9kg	2300pcs
KQ4004(5)	KQ-KC-400	H05RN-F 3G0.75mm ² × 10m	22 × 16 × 31cm	46 × 34 × 33cm/4pcs	15.4kg/16.92kg	2300pcs
KQ5004(5)	KQ-KC-500	H05RN-F 3G1.0mm ² × 10m	22 × 16 × 35/31cm	46 × 34 × 37/33cm/4pcs	18.8kg/20.78kg	2040/2300pcs
KQ5504(5)	KQ-KC-550	H05RN-F 3G1.0mm ² × 10m	22 × 16 × 35/31cm	46 × 34 × 37/33cm/4pcs	18.8kg/20.80kg	2040/2300pcs
KQ7504(5)	KQ-KC-750	H07RN-F 3G1.0mm ² × 10m	22 × 16 × 35cm	46 × 34 × 37cm/4pcs	19.8kg/21.80kg	2040pcs
KQ9004(5)	KQ-KC-900	H07RN-F 3G1.0mm ² × 10m	22 × 16 × 35cm	46 × 34 × 37cm/4pcs	21.7kg/23.72kg	2040pcs

ELECTRIC CLEAN WATER PUMP




lowest pump sucking level 1mm

KQxxx18A



230V 115V 50Hz 60Hz



POOL COVER PUMP

Specifications



Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.Depth	Max.Grain Size	Dia.of Pipe
KQ20018A	KQ-KC-200	200W	5500l/h	4.5m	5m	5mm	1" 1/4" 1 1/2"
KQ35018A	KQ-KC-350	350W	6500l/h	6.5m	5m	5mm	1" 1/4" 1 1/2"
KQ40018A	KQ-KC-400	400W	7500l/h	7.5m	5m	5mm	1" 1/4" 1 1/2"
KQ50018A	KQ-KC-500	500W	8500l/h	8.5m	7m	5mm	1" 1/4" 1 1/2"




Type	Certificate No.	Cable Length of cable	Package Size	Measurement	Weight Approx	Qty/20'CTN
KQ20018A	KQ-KC-200	H05RN-F 3G0.75mm ² × 10m	22 × 18 × 31cm	46 × 38 × 33cm/4pcs	15.5kg/16.5kg	2100pcs
KQ35018A	KQ-KC-350	H05RN-F 3G0.75mm ² × 10m	22 × 18 × 31cm	46 × 38 × 33cm/4pcs	16.5kg/17.5kg	2100pcs
KQ40018A	KQ-KC-400	H05RN-F 3G0.75mm ² × 10m	22 × 18 × 31cm	46 × 38 × 33cm/4pcs	17.5kg/18.5kg	2100pcs
KQ50018A	KQ-KC-500	H05RN-F 3G1.0mm ² × 10m	22 × 18 × 31cm	46 × 38 × 33cm/4pcs	18.5kg/19.5kg	2100pcs

BASE FOR CLEAN & DIRTY PUMP



KQXXXB27



230V 115V 50Hz 60Hz

Specifications


w
 l/h
 m
 m
 mm
 pcs/20'CTN

Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.Depth	Max.Grain Size	Dia.of Pipe
KQ400B27	KQ-KC-400B	400W	8000l/h	5m	5m	35mm	1" 1/4" 1 1/2"
KQ550B27	KQ-KC-550B	550W	10000l/h	6.5m	5m	35mm	1" 1/4" 1 1/2"
KQ750B27	KQ-KC-750B	750W	13000l/h	7.5m	5m	35mm	1" 1/4" 1 1/2"
KQ900B27	KQ-KC-900B	900W	14000l/h	8.5m	5m	35mm	1" 1/4" 1 1/2"
KQ1100B27	KQ-KC-1100B	1100W	15000l/h	11m	5m	35mm	1" 1/4" 1 1/2"

m
 cm
 cm/4pcs
 Kg
 pcs/20'CTN

Type	Certificate No.	Cable Length of cable	Package Size	Measurement	Weight Approx	Qty/20'CTN
KQ400B27	KQ-KC-400B	H05RN-F 3G0.75mm ² × 10m	22 × 16 × 35cm	46 × 34 × 37cm/4pcs	15.0kg/16.42kg	2040pcs
KQ550B27	KQ-KC-550B	H05RN-F 3G1.0mm ² × 10m	22 × 16 × 35cm	46 × 34 × 37cm/4pcs	17.5kg/19.56kg	2020pcs
KQ750B27	KQ-KC-750B	H07RN-F 3G1.0mm ² × 10m	22 × 16 × 37cm	46 × 34 × 38.5cm/4pcs	18.6kg/20.62kg	2020pcs
KQ900B27	KQ-KC-900B	H07RN-F 3G1.0mm ² × 10m	22 × 16 × 37cm	46 × 34 × 38.5cm/4pcs	20.3kg/22.32kg	2020pcs
KQ1100B27	KQ-KC-1100B	H07RN-F 3G1.0mm ² × 10m	22 × 16 × 37cm	46 × 34 × 38.5cm/4pcs	22.3kg/24.32kg	2020pcs

DIRTY WATER PUMP



230V 115V 50Hz 60Hz



KQXXX9

Specifications


w
 l/h
 m
 m
 mm
 pcs/20'CTN

Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.Depth	Max.Grain Size	Dia.of Pipe
KQ2009	KQ-KC-200	200W	4000l/h	5m	5m	5mm	1" 1/4" 1 1/2"
KQ2509	KQ-KC-250	250W	6000l/h	5.5m	5m	5mm	1" 1/4" 1 1/2"
KQ3509	KQ-KC-350	350W	6500l/h	6.5m	5m	5mm	1" 1/4" 1 1/2"
KQ4009	KQ-KC-400	400W	7000l/h	7.5m	5m	5mm	1" 1/4" 1 1/2"
KQ5009	KQ-KC-500	500W	10000l/h	8m	7m	5mm	1" 1/4" 1 1/2"
KQ5509	KQ-KC-550	550W	11000l/h	8m	7m	5mm	1" 1/4" 1 1/2"
KQ7509	KQ-KC-750	750W	12500l/h	8.5m	8m	5mm	1" 1/4" 1 1/2"
KQ9009	KQ-KC-900	900W	15000l/h	9.5m	8m	5mm	1" 1/4" 1 1/2"

m
 cm
 cm/4pcs
 Kg
 pcs/20'CTN

Type	Certificate No.	Cable Length of cable	Package Size	Measurement	Weight Approx	Qty/20'CTN
KQ2009	KQ-KC-200	H05RN-F 3G0.75mm ² × 10m	22 × 17 × 35cm	46 × 36 × 37cm/4pcs	15.5kg/17.0kg	1800pcs
KQ2509	KQ-KC-250	H05RN-F 3G0.75mm ² × 10m	22 × 17 × 35cm	46 × 36 × 37cm/4pcs	16.0kg/17.5kg	1800pcs
KQ3509	KQ-KC-350	H05RN-F 3G0.75mm ² × 10m	22 × 17 × 35cm	46 × 36 × 37cm/4pcs	16.4kg/17.9kg	1800pcs
KQ4009	KQ-KC-400	H05RN-F 3G0.75mm ² × 10m	22 × 17 × 35cm	46 × 36 × 37cm/4pcs	16.4kg/17.9kg	1800pcs
KQ5009	KQ-KC-500	H05RN-F 3G1.0mm ² × 10m	22 × 17 × 35cm	46 × 36 × 37cm/4pcs	19.1kg/21.1kg	1800pcs
KQ5509	KQ-KC-550	H05RN-F 3G1.0mm ² × 10m	22 × 17 × 35cm	46 × 36 × 37cm/4pos	19.1kg/21.1kg	1800pcs
KQ7509	KQ-KC-750	H07RN-F 3G1.0mm ² × 10m	22 × 17 × 35cm	46 × 36 × 37cm/4pcs	20.6kg/22.6kg	1800pcs
KQ9009	KQ-KC-900	H07RN-F 3G1.0mm ² × 10m	22 × 17 × 35cm	46 × 36 × 37cm/4pcs	22.3kg/24.3kg	1800pcs

DIRTY WATER PUMP



230V 115V 50Hz 60Hz

KQXXXB9

Specifications




Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.Depth	Max.Grain Size	Dia.of Pipe
KQ400B9	KQ-KC-400B	400W	8000l/h	5m	5m	30mm	1" 1/4" 1 1/2"
KQ550B9	KQ-KC-550B	550W	10000l/h	6.5m	5m	35mm	1" 1/4" 1 1/2"
KQ750B9	KQ-KC-750B	750W	13000l/h	7.5m	5m	35mm	1" 1/4" 1 1/2"
KQ900B9	KQ-KC-900B	900W	14000l/h	8.5m	5m	35mm	1" 1/4" 1 1/2"
KQ1100B9	KQ-KC-1100B	1100W	15000l/h	11m	5m	35mm	1" 1/4" 1 1/2"



Type	Certificate No.	Cable Length of cable	Package Size	Measurement	Weight Approx	Qty/20'CTN
KQ400B9	KQ-KC-400B	H05RN-F 3G0.75mm ² × 10m	22 × 17 × 37cm	46 × 36 × 38.5cm/4pcs	16.4kg/17.90kg	1800pcs
KQ550B9	KQ-KC-550B	H05RN-F 3G1.0mm ² × 10m	22 × 17 × 37cm	46 × 36 × 38.5cm/4pcs	19.0kg/21.05kg	1800pcs
KQ750B9	KQ-KC-750B	H07RN-F 3G1.0mm ² × 10m	22 × 17 × 37cm	46 × 36 × 38.5cm/4pcs	20.6kg/22.60kg	1800pcs
KQ900B9	KQ-KC-900B	H07RN-F 3G1.0mm ² × 10m	22 × 17 × 37cm	46 × 36 × 38.5cm/4pcs	22.3kg/24.35kg	1800pcs
KQ1100B9	KQ-KC-1100B	H07RN-F 3G1.0mm ² × 10m	22 × 17 × 37cm	46 × 36 × 38.5cm/4pcs	24.1kg/26.15kg	1800pcs

INSIDE SWITCH CLEAN PUMP



230V 115V 50Hz 60Hz

KQXXX8

Specifications



Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.Depth	Max.Grain Size	Dia.of Pipe
KQ2508	KQ-KC-250	250W	6000l/h	5.5m	8m	5mm	1" 1/4" 1 1/2"
KQ4008	KQ-KC-400	400W	7000l/h	7.5m	8m	5mm	1" 1/4" 1 1/2"
KQ5508	KQ-KC-550	550W	11000l/h	8m	8m	5mm	1" 1/4" 1 1/2"
KQ7508	KQ-KC-750	750W	12500l/h	8.5m	8m	5mm	1" 1/4" 1 1/2"




Type	Certificate No.	Cable Length of cable	Package Size	Measurement	Weight Approx	Qty/20'CTN
KQ2508	KQ-KC-250	H05RN-F 3G0.75mm ² × 10m	22 × 16 × 35cm	46 × 34 × 37cm/4pcs	14.8kg/16.5kg	2040pcs
KQ4008	KQ-KC-400	H05RN-F 3G0.75mm ² × 10m	22 × 16 × 35cm	46 × 34 × 37cm/4pcs	15.6kg/17.3kg	2040pcs
KQ5508	KQ-KC-550	H05RN-F 3G1.0mm ² × 10m	22 × 16 × 35cm	46 × 34 × 37cm/4pcs	19.6kg/21.3kg	2040pcs
KQ7508	KQ-KC-750	H07RN-F 3G1.0mm ² × 10m	22 × 16 × 35cm	46 × 34 × 37cm/4pcs	20.4kg/22.1kg	2040pcs

INSIDE SWITCH DIRTY PUMP



KQXXB8



230V 115V 50Hz 60Hz

Specifications


Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.Depth	Max.Grain Size	Dia.of Pipe
KQ400B8	KQ-KC-400B	400W	8000l/h	5m	5m	35mm	1" 1/4" 1 1/2"
KQ550B8	KQ-KC-550B	550W	10000l/h	6.5m	5m	35mm	1" 1/4" 1 1/2"
KQ750B8	KQ-KC-750B	750W	13000l/h	7.5m	5m	35mm	1" 1/4" 1 1/2"

Type	Certificate No.	Cable Length of cable	Package Size	Measurement	Weight Approx	Qty/20'CTN
KQ400B8	KQ-KC-400B	H05RN-F 3G0.75mm ² × 10m	22 × 16 × 37cm	46 × 34 × 38.5cm/4pcs	16.4kg/17.8kg	2020pcs
KQ550B8	KQ-KC-550B	H05RN-F 3G1.0mm ² × 10m	22 × 16 × 37cm	46 × 34 × 38.5cm/4pcs	20.1kg/21.8kg	2020pcs
KQ750B8	KQ-KC-750B	H07RN-F 3G1.0mm ² × 10m	22 × 16 × 37cm	46 × 34 × 38.5cm/4pcs	20.9kg/22.6kg	2020pcs

BASE FOR CLEAN & DIRTY PUMP



KQXXB25




230V 115V 50Hz 60Hz

Specifications

Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.Depth	Max.Grain Size	Dia.of Pipe
KQ400B25	KQ-KC-400B	400W	8000l/h	5m	5m	35mm	1" 1/4" 1 1/2"
KQ550B25	KQ-KC-550B	550W	10000l/h	6.5m	5m	35mm	1" 1/4" 1 1/2"
KQ750B25	KQ-KC-750B	750W	13000l/h	7.5m	5m	35mm	1" 1/4" 1 1/2"
KQ900B25	KQ-KC-900B	900W	14000l/h	8.5m	5m	35mm	1" 1/4" 1 1/2"
KQ1100B25	KQ-KC-1100B	1100W	15000l/h	11m	5m	35mm	1" 1/4" 1 1/2"

Type	Certificate No.	Cable Length of cable	Package Size	Measurement	Weight Approx	Qty/20'CTN
KQ400B25	KQ-KC-400B	H05RN-F 3G0.75mm ² × 10m	22 × 16 × 35cm	46 × 34 × 37cm/4pcs	15.0kg/16.42kg	2040pcs
KQ550B25	KQ-KC-550B	H05RN-F 3G1.0mm ² × 10m	22 × 16 × 35cm	46 × 34 × 37cm/4pcs	17.5kg/19.56kg	2020pcs
KQ750B25	KQ-KC-750B	H07RN-F 3G1.0mm ² × 10m	22 × 16 × 37cm	46 × 34 × 38.5cm/4pcs	18.6kg/20.62kg	2020pcs
KQ900B25	KQ-KC-900B	H07RN-F 3G1.0mm ² × 10m	22 × 16 × 37cm	46 × 34 × 38.5cm/4pcs	20.3kg/22.32kg	2020pcs
KQ1100B25	KQ-KC-1100B	H07RN-F 3G1.0mm ² × 10m	22 × 16 × 37cm	46 × 34 × 38.5cm/4pcs	22.3kg/24.32kg	2020pcs

BASE FOR CLEAN AND DIRTY PUMP




KQXXXB28

 230V 115V 50Hz 60Hz

Specifications



Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.Depth	Max.Grain Size	Dia.of Pipe
KQ400B28	KQ-KC-400B	400W	8000l/h	5m	5m	35mm	1" 1/4" 1 1/2"
KQ550B28	KQ-KC-550B	550W	10000l/h	6.5m	5m	35mm	1" 1/4" 1 1/2"
KQ750B28	KQ-KC-750B	750W	13000l/h	7.5m	5m	35mm	1" 1/4" 1 1/2"
KQ900B28	KQ-KC-900B	900W	14000l/h	8.5m	5m	35mm	1" 1/4" 1 1/2"
KQ1100B28	KQ-KC-1100B	1100W	15000l/h	11m	5m	35mm	1" 1/4" 1 1/2"



Type	Certificate No.	Cable Length of cable	Package Size	Measurement	Weight Approx	Qty/20'CTN
KQ400B28	KQ-KC-400B	H05RN-F 3G0.75mm ² × 10m	22 × 16 × 33cm	46 × 34 × 35cm/4pcs	15.0kg/16.42kg	2040pcs
KQ550B28	KQ-KC-550B	H05RN-F 3G1.0mm ² × 10m	22 × 16 × 33cm	46 × 34 × 35cm/4pcs	17.5kg/19.56kg	2020pcs
KQ750B28	KQ-KC-750B	H07RN-F 3G1.0mm ² × 10m	22 × 16 × 35cm	46 × 34 × 37cm/4pcs	18.6kg/20.62kg	2020pcs
KQ900B28	KQ-KC-900B	H07RN-F 3G1.0mm ² × 10m	22 × 16 × 35cm	46 × 34 × 37cm/4pcs	20.3kg/22.32kg	2020pcs
KQ1100B28	KQ-KC-1100B	H07RN-F 3G1.0mm ² × 10m	22 × 16 × 35cm	46 × 34 × 37cm/4pcs	22.3kg/24.32kg	2020pcs

DIRTY WATER PUMP



KQXXXB3

KQXXXB3N

KQXXXB7

 230V 115V 50Hz 60Hz

Specifications



Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.Depth	Max.Grain Size	Dia.of Pipe
KQ400B3(N)	KQ-KC-400B	400W	7000l/h	5m	5m	18mm	1" 1/4" 1 1/2"
KQ550B3(N)	KQ-KC-550B	550W	11000l/h	6.5m	5m	18mm	1" 1/4" 1 1/2"
KQ750B3(N)	KQ-KC-750B	750W	12500l/h	8m	5m	18mm	1" 1/4" 1 1/2"
KQ400B7	KQ-KC-400B	400W	7000l/h	5m	5m	18mm	1" 1/4"




Type	Certificate No.	Cable Length of cable	Package Size	Measurement	Weight Approx	Qty/20'CTN
KQ400B3	KQ-KC-400B	H05RN-F 3G0.75mm ² × 10m	20 × 14 × 31cm	42 × 30 × 33cm/4pcs	15.0kg/16.4kg	2856pcs
KQ550B3	KQ-KC-550B	H05RN-F 3G1.0mm ² × 10m	20 × 14 × 31cm	42 × 30 × 33cm/4pcs	17.5kg/19.6kg	2856pcs
KQ750B3	KQ-KC-750B	H07RN-F 3G1.0mm ² × 10m	20 × 14 × 31cm	42 × 30 × 33cm/4pcs	18.6kg/20.6kg	2856pcs
KQ400B3N	KQ-KC-400B	H05RN-F 3G0.75mm ² × 10m	20 × 14 × 34cm	42 × 30 × 36cm/4pcs	15.0kg/16.4kg	2440pcs
KQ550B3N	KQ-KC-550B	H05RN-F 3G1.0mm ² × 10m	20 × 14 × 34cm	42 × 30 × 36cm/4pcs	17.5kg/19.6kg	2440pcs
KQ750B3N	KQ-KC-750B	H07RN-F 3G1.0mm ² × 10m	20 × 14 × 34cm	42 × 30 × 36cm/4pcs	18.6kg/20.6kg	2440pcs
KQ400B7	KQ-KC-400B	H05RN-F 3G0.75mm ² × 10m	20 × 14 × 31cm	42 × 30 × 33cm/4pcs	15.0kg/16.4kg	2856pcs

DIRTY WATER PUMP



KQXXB1



230V 115V 50Hz 60Hz



KQXXB2

Specifications



Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.Depth	Max.Grain Size	Dia.of Pipe
KQ400B1(2)	KQ-KC-400B	400W	8000l/h	5m	5m	35mm	1" 1/4" 1 1/2"
KQ550B1(2)	KQ-KC-550B	550W	10000l/h	6.5m	5m	35mm	1" 1/4" 1 1/2"
KQ750B1(2)	KQ-KC-750B	750W	13000l/h	7.5m	5m	35mm	1" 1/4" 1 1/2"
KQ900B1(2)	KQ-KC-900B	900W	14000l/h	8.5m	5m	35mm	1" 1/4" 1 1/2"
KQ1100B1(2)	KQ-KC-1100B	1100W	15000l/h	11m	5m	35mm	1" 1/4" 1 1/2"




Type	Certificate No.	Cable Length of cable	Package Size	Measurement	Weight Approx	Qty/20'CTN
KQ400B1(2)	KQ-KC-400B	H05RN-F 3G0.75mm ² × 10m	22 × 16 × 35cm	46 × 34 × 37cm/4pcs	15.0kg/16.42kg	2040pcs
KQ550B1(2)	KQ-KC-550B	H05RN-F 3G1.0mm ² × 10m	22 × 16 × 35cm	46 × 34 × 37cm/4pcs	17.5kg/19.56kg	2020pcs
KQ750B1(2)	KQ-KC-750B	H07RN-F 3G1.0mm ² × 10m	22 × 16 × 37cm	46 × 34 × 38.5cm/4pcs	18.6kg/20.62kg	2020pcs
KQ900B1(2)	KQ-KC-900B	H07RN-F 3G1.0mm ² × 10m	22 × 16 × 37cm	46 × 34 × 38.5cm/4pcs	20.3kg/22.32kg	2020pcs
KQ1100B1(2)	KQ-KC-1100B	H07RN-F 3G1.0mm ² × 10m	22 × 16 × 37cm	46 × 34 × 38.5cm/4pcs	22.3kg/24.32kg	2020pcs

DIRTY WATER PUMP



KQXXB4



230V 115V 50Hz 60Hz



KQXXB5

Specifications



Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.Depth	Max.Grain Size	Dia.of Pipe
KQ400B4(5)	KQ-KC-400B	400W	8000l/h	5m	5m	35mm	1" 1/4" 1 1/2"
KQ550B4(5)	KQ-KC-550B	550W	10000l/h	6.5m	5m	35mm	1" 1/4" 1 1/2"
KQ750B4(5)	KQ-KC-750B	750W	13000l/h	7.5m	5m	35mm	1" 1/4" 1 1/2"
KQ900B4(5)	KQ-KC-900B	900W	14000l/h	8.5m	5m	35mm	1" 1/4" 1 1/2"
KQ1100B4(5)	KQ-KC-1100B	1100W	15000l/h	11m	5m	35mm	1" 1/4" 1 1/2"




Type	Certificate No.	Cable Length of cable	Package Size	Measurement	Weight Approx	Qty/20'CTN
KQ400B4(5)	KQ-KC-400B	H05RN-F 3G0.75mm ² × 10m	22 × 16 × 35cm	46 × 34 × 37cm/4pcs	15.0kg/16.42kg	2040pcs
KQ550B4(5)	KQ-KC-550B	H05RN-F 3G1.0mm ² × 10m	22 × 16 × 35cm	46 × 34 × 37cm/4pcs	17.5kg/19.56kg	2020pcs
KQ750B4(5)	KQ-KC-750B	H07RN-F 3G1.0mm ² × 10m	22 × 16 × 37cm	46 × 34 × 38.5cm/4pcs	18.6kg/20.62kg	2020pcs
KQ900B4(5)	KQ-KC-900B	H07RN-F 3G1.0mm ² × 10m	22 × 16 × 37cm	46 × 34 × 38.5cm/4pcs	20.3kg/22.32kg	2020pcs
KQ1100B4(5)	KQ-KC-1100B	H07RN-F 3G1.0mm ² × 10m	22 × 16 × 37cm	46 × 34 × 38.5cm/4pcs	22.3kg/24.32kg	2020pcs

CLEAN WATER PUMP



KQXXX60



230V 115V 50Hz 60Hz




KQXXX60H

Specifications



Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.Depth	Max.Grain Size	Dia.of Pipe
KQ40060(H)	KQ-6KC-400	400W	7000l/h	6m	5m	5mm	1" 1/4"
KQ55060(H)	KQ-6KC-550	550W	8000l/h	7m	7m	5mm	1" 1/4"
KQ75060(H)	KQ-6KC-750	750W	11000l/h	8m	8m	5mm	1" 1/4"
KQ90060(H)	KQ-6KC-900	900W	12000l/h	9m	8m	5mm	1" 1/4"




Type	Certificate No.	Cable Length of cable	Package Size	Measurement	Weight Approx	Qty/20'CTN
KQ40060(H)	KQ-6KC-400	H05RN-F 3G0.75mm ² × 10m	22 × 16 × 31cm	46 × 34 × 33cm/4pcs	16.7kg/18.20kg	2300pcs
KQ55060(H)	KQ-6KC-550	H05RN-F 3G1.0mm ² × 10m	22 × 16 × 31cm	46 × 34 × 33cm/4pcs	19.8kg/21.30kg	2300pcs
KQ75060(H)	KQ-6KC-750	H07RN-F 3G1.0mm ² × 10m	22 × 16 × 31cm	46 × 34 × 33cm/4pcs	22.1kg/23.58kg	2300pcs
KQ90060(H)	KQ-6KC-900	H07RN-F 3G1.0mm ² × 10m	22 × 16 × 31cm	46 × 34 × 33cm/4pcs	23.8kg/25.30kg	2300pcs

CLEAN WATER PUMP



KQXXX61



230V 115V 50Hz 60Hz



KQXXX61H

Specifications




Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.Depth	Max.Grain Size	Dia.of Pipe
KQ40061(H)	KQ-6KC-400	400W	7000l/h	6m	5m	5mm	1" 1/4"
KQ55061(H)	KQ-6KC-550	550W	8000l/h	7m	7m	5mm	1" 1/4"
KQ75061(H)	KQ-6KC-750	750W	11000l/h	8m	8m	5mm	1" 1/4"
KQ90061(H)	KQ-6KC-900	900W	13000l/h	9m	8m	5mm	1" 1/4"



Type	Certificate No.	Cable Length of cable	Package Size	Measurement	Weight Approx	Qty/20'CTN
KQ40061(H)	KQ-6KC-400	H05RN-F 3G0.75mm ² × 10m	22 × 16 × 31cm	46 × 34 × 33cm/4pcs	16.7kg/18.2kg	2300pcs
KQ55061(H)	KQ-6KC-550	H05RN-F 3G1.0mm ² × 10m	22 × 16 × 31cm	46 × 34 × 33cm/4pcs	19.8kg/21.3kg	2300pcs
KQ75061(H)	KQ-6KC-750	H07RN-F 3G1.0mm ² × 10m	22 × 16 × 31cm	46 × 34 × 33cm/4pcs	22.1kg/23.5kg	2300pcs
KQ90061(H)	KQ-6KC-900	H07RN-F 3G1.0mm ² × 10m	22 × 16 × 31cm	46 × 34 × 33cm/4pcs	23.8kg/25.3kg	2300pcs

CLEAN WATER PUMP



KQXXX62H



230V 115V 50Hz 60Hz



KQXXX62

Specifications




Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.Depth	Max.Grain Size	Dia.of Pipe
KQ40062(H)	KQ-6KC-400	400W	7000l/h	6m	5m	5mm	1" 1/4"
KQ55062(H)	KQ-6KC-550	550W	8000l/h	7m	7m	5mm	1" 1/4"
KQ75062(H)	KQ-6KC-750	750W	11000l/h	8m	8m	5mm	1" 1/4"
KQ90062(H)	KQ-6KC-900	900W	13000l/h	9m	8m	5mm	1" 1/4"



Type	Certificate No.	Cable Length of cable	Package Size	Measurement	Weight Approx	Qty/20'CTN
KQ40062(H)	KQ-6KC-400	H05RN-F 3G0.75mm ² ×10m	22×16×31cm	46×34×33cm/4pcs	16.7kg/18.2kg	2300pcs
KQ55062(H)	KQ-6KC-550	H05RN-F 3G1.0mm ² ×10m	22×16×31cm	46×34×33cm/4pcs	19.8kg/21.3kg	2300pcs
KQ75062(H)	KQ-6KC-750	H07RN-F 3G1.0mm ² ×10m	22×16×31cm	46×34×33cm/4pcs	22.1kg/23.58kg	2300pcs
KQ90062(H)	KQ-6KC-900	H07RN-F 3G1.0mm ² ×10m	22×16×31cm	46×34×33cm/4pcs	23.8kg/25.3kg	2300pcs

DIRTY WATER PUMP



KQXXB63P



230V 115V 50Hz 60Hz



KQXXB63H

Specifications




Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.Depth	Max.Grain Size	Dia.of Pipe
KQ400B63P(H)	KQ-6KC-400B	400W	8000l/h	5m	5m	35mm	1" 1/4" 1 1/2"
KQ550B63P(H)	KQ-6KC-550B	550W	10000l/h	6.5m	5m	35mm	1" 1/4" 1 1/2"
KQ750B63P(H)	KQ-6KC-750B	750W	13000l/h	7.5m	5m	35mm	1" 1/4" 1 1/2"
KQ900B63P(H)	KQ-6KC-900B	900W	14000l/h	8.5m	5m	35mm	1" 1/4" 1 1/2"
KQ1100B63P(H)	KQ-6KC-1100B	1100W	15000l/h	11m	5m	35mm	1" 1/4" 1 1/2"



Type	Certificate No.	Cable Length of cable	Package Size	Measurement	Weight Approx	Qty/20'CTN
KQ400B63P(H)	KQ-6KC-400B	H05RN-F 3G0.75mm ² ×10m	22×16×35cm	46×34×37cm/4pcs	17.0kg/18.50kg	2040pcs
KQ550B63P(H)	KQ-6KC-550B	H05RN-F 3G1.0mm ² ×10m	22×16×35cm	46×34×37cm/4pcs	19.5kg/21.54kg	2040pcs
KQ750B63P(H)	KQ-6KC-750B	H07RN-F 3G1.0mm ² ×10m	22×16×37cm	46×34×38.5cm/4pcs	20.4kg/22.48kg	2020pcs
KQ900B63P(H)	KQ-6KC-900B	H07RN-F 3G1.0mm ² ×10m	22×16×39cm	46×34×41cm/4pcs	25.2kg/27.20kg	1720pcs
KQ1100B63P(H)	KQ-6KC-1100B	H07RN-F 3G1.0mm ² ×10m	22×16×39cm	46×34×41cm/4pcs	26.3kg/28.30kg	1720pcs

DIRTY WATER PUMP



KQXXB64P



230V 115V 50Hz 60Hz




KQXXB64H

Specifications




Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.Depth	Max.Grain Size	Dia.of Pipe
KQ550B64P(H)	KQ-6KC-550B	550W	10000l/h	6.5m	5m	35mm	1" 1/4" 1 1/2"
KQ750B64P(H)	KQ-6KC-750B	750W	13000l/h	7.5m	5m	35mm	1" 1/4" 1 1/2"
KQ900B64P(H)	KQ-6KC-900B	900W	14000l/h	8.5m	5m	35mm	1" 1/4" 1 1/2"
KQ1100B64P(H)	KQ-6KC-1100B	1100W	15000l/h	11m	5m	35mm	1" 1/4" 1 1/2"



Type	Certificate No.	Cable Length of cable	Package Size	Measurement	Weight Approx	Qty/20'CTN
KQ550B64P(H)	KQ-6KC-550B	H05RN-F 3G1.0mm ² × 10m	22 × 18 × 35cm	46 × 38 × 37cm/4pcs	19.5kg/22.00kg	1800pcs
KQ750B64P(H)	KQ-6KC-750B	H07RN-F 3G1.0mm ² × 10m	22 × 18 × 37cm	46 × 38 × 38.5cm/4pcs	21.0kg/23.35kg	1780pcs
KQ900B64P(H)	KQ-6KC-900B	H07RN-F 3G1.0mm ² × 10m	22 × 18 × 37cm	46 × 38 × 38.5cm/4pcs	25.2kg/27.20kg	1780pcs
KQ1100B64P(H)	KQ-6KC-1100B	H07RN-F 3G1.0mm ² × 10m	22 × 18 × 37cm	46 × 38 × 38.5cm/4pcs	26.3kg/28.30kg	1780pcs

DIRTY WATER PUMP



KQXXB65H



230V 115V 50Hz 60Hz



KQXXB65P

Specifications



Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.Depth	Max.Grain Size	Dia.of Pipe
KQ550B65P(H)	KQ-6KC-550B	550W	10000l/h	6.5m	5m	35mm	1" 1/4" 1 1/2"
KQ750B65P(H)	KQ-6KC-750B	750W	13000l/h	7.5m	5m	35mm	1" 1/4" 1 1/2"
KQ900B65P(H)	KQ-6KC-900B	900W	14000l/h	8.5m	5m	35mm	1" 1/4" 1 1/2"
KQ1100B65P(H)	KQ-6KC-1100B	1100W	15000l/h	11m	5m	35mm	1" 1/4" 1 1/2"




Type	Certificate No.	Cable Length of cable	Package Size	Measurement	Weight Approx	Qty/20'CTN
KQ550B65P(H)	KQ-6KC-550B	H05RN-F 3G1.0mm ² × 10m	22 × 18 × 35cm	46 × 38 × 37cm/4pcs	19.5kg/22.0kg	1800pcs
KQ750B65P(H)	KQ-6KC-750B	H07RN-F 3G1.0mm ² × 10m	22 × 18 × 37cm	46 × 38 × 38.5cm/4pcs	21.0kg/23.3kg	1780pcs
KQ900B65P(H)	KQ-6KC-900B	H07RN-F 3G1.0mm ² × 10m	22 × 18 × 37cm	46 × 38 × 38.5cm/4pcs	25.2kg/27.2kg	1780pcs
KQ1100B65P(H)	KQ-6KC-1100B	H07RN-F 3G1.0mm ² × 10m	22 × 18 × 37cm	46 × 38 × 38.5cm/4pcs	26.3kg/28.3kg	1780pcs

DIRTY WATER PUMP



KQXXXB66H



230V 115V 50Hz 60Hz



KQXXXB66P

Specifications



Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.Depth	Max.Grain Size	Dia.of Pipe
KQ550B66P(H)	KQ-6KC-550B	550W	10000l/h	6.5m	5m	35mm	1" 1/4" 1 1/2"
KQ750B66P(H)	KQ-6KC-750B	750W	13000l/h	7.5m	5m	35mm	1" 1/4" 1 1/2"
KQ900B66P(H)	KQ-6KC-900B	900W	14000l/h	8.5m	5m	35mm	1" 1/4" 1 1/2"
KQ1100B66P(H)	KQ-6KC-1100B	1100W	15000l/h	11m	5m	35mm	1" 1/4" 1 1/2"



Type	Certificate No.	Cable Length of cable	Package Size	Measurement	Weight Approx	Qty/20'CTN
KQ550B66P(H)	KQ-6KC-550B	H05RN-F 3G1.0mm ² × 10m	22 × 18 × 35cm	46 × 38 × 37cm/4pcs	19.5kg/22.0kg	1800pcs
KQ750B66P(H)	KQ-6KC-750B	H07RN-F 3G1.0mm ² × 10m	22 × 18 × 37cm	46 × 38 × 38.5cm/4pcs	21.0kg/23.3kg	1780pcs
KQ900B66P(H)	KQ-6KC-900B	H07RN-F 3G1.0mm ² × 10m	22 × 18 × 37cm	46 × 38 × 38.5cm/4pcs	25.2kg/27.2kg	1780pcs
KQ1100B66P(H)	KQ-6KC-1100B	H07RN-F 3G1.0mm ² × 10m	22 × 18 × 37cm	46 × 38 × 38.5cm/4pcs	26.3kg/28.3kg	1780pcs


GARDEN PUMP



KGPXXX1JT



KGPXXX1T



230V 115V
50Hz 60Hz

Specifications



Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.sucking height	Max.pressure	Dia.of Pipe
KGP6001(J)T	KGP600	600W	3000l/h	35m	8m	3.5bar	1"
KGP8001(J)T	KGP800	800W	3200l/h	40m	8m	4bar	1"
KGP10001(J)T	KGP1000	1000W	3400l/h	44m	8m	4.4bar	1"
KGP12001(J)T	KGP1200	1200W	3600l/h	47m	8m	4.7bar	1"



Type	Certificate No.	Cable Length of cable	Package Size	Weight Approx	Qty/20'CTN
KGP6001(J)T	KGP600	H07RN-F 3G1.0mm ² × 1.2m	34(37) × 23 × 26cm	6.3kg/6.84kg	1440/1350pcs
KGP8001(J)T	KGP800	H07RN-F 3G1.0mm ² × 1.2m	34(37) × 23 × 26cm	6.9kg/7.36kg	1440/1350pcs
KGP10001(J)T	KGP1000	H07RN-F 3G1.0mm ² × 1.2m	34(37) × 23 × 26cm	7.5kg/7.90kg	1440/1350pcs
KGP12001(J)T	KGP1200	H07RN-F 3G1.0mm ² × 1.2m	34(37) × 23 × 26cm	7.8kg/8.20kg	1440/1350pcs


GARDEN PUMP



KGPXXX1JF



KGPXXX1F



230V 115V
50Hz 60Hz

Specifications



Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.sucking height	Max.pressure	Dia.of Pipe
KGP6001(J)F	KGP600	600W	3000l/h	35m	8m	3.5bar	1"
KGP8001(J)F	KGP800	800W	3200l/h	40m	8m	4bar	1"
KGP10001(J)F	KGP1000	1000W	3400l/h	44m	8m	4.4bar	1"
KGP12001(J)F	KGP1200	1200W	3600l/h	47m	8m	4.7bar	1"

Type	Certificate No.	Cable Length of cable	Package Size	Weight Approx	Qty/20'CTN
KGP6001(J)F	KGP600	H07RN-F 3G1.0mm²×1.2m	34(37)×23×26cm	6.3kg/6.84kg	1440/1350pcs
KGP8001(J)F	KGP800	H07RN-F 3G1.0mm²×1.2m	34(37)×23×26cm	6.9kg/7.36kg	1440/1350pcs
KGP10001(J)F	KGP1000	H07RN-F 3G1.0mm²×1.2m	34(37)×23×26cm	7.5kg/7.90kg	1440/1350pcs
KGP12001(J)F	KGP1200	H07RN-F 3G1.0mm²×1.2m	34(37)×23×26cm	7.8kg/8.20kg	1440/1350pcs


GARDEN PUMP



KGPXXX1Y



KGPXXX1JY



230V 115V
50Hz 60Hz

Specifications



Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.sucking height	Max.pressure	Dia.of Pipe
KGP6001(J)Y	KGP600	600W	3000l/h	35m	8m	3.5bar	1"
KGP8001(J)Y	KGP800	800W	3200l/h	40m	8m	4bar	1"
KGP10001(J)Y	KGP1000	1000W	3400l/h	44m	8m	4.4bar	1"
KGP12001(J)Y	KGP1200	1200W	3600l/h	47m	8m	4.7bar	1"

Type	Certificate No.	Cable Length of cable	Package Size	Weight Approx	Qty/20'CTN
KGP6001(J)Y	KGP600	H07RN-F 3G1.0mm²×1.2m	34(37)×23×26cm	6.3kg/6.84kg	1440/1350pcs
KGP8001(J)Y	KGP800	H07RN-F 3G1.0mm²×1.2m	34(37)×23×26cm	6.9kg/7.36kg	1440/1350pcs
KGP10001(J)Y	KGP1000	H07RN-F 3G1.0mm²×1.2m	34(37)×23×26cm	7.5kg/7.90kg	1440/1350pcs
KGP12001(J)Y	KGP1200	H07RN-F 3G1.0mm²×1.2m	34(37)×23×26cm	7.8kg/8.20kg	1440/1350pcs


GARDEN PUMP



KGPXXX3JT



KGPXXX3T




230V 115V
50Hz 60Hz

Specifications



Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.sucking height	Max.pressure	Dia.of Pipe
KGP6003(J)T	KGP600	600W	3000l/h	35m	8m	3.5bar	1"
KGP8003(J)T	KGP800	800W	3200l/h	40m	8m	4bar	1"
KGP10003(J)T	KGP1000	1000W	3400l/h	44m	8m	4.4bar	1"
KGP12003(J)T	KGP1200	1200W	3600l/h	47m	8m	4.7bar	1"



Type	Certificate No.	Cable Length of cable	Package Size	Weight Approx	Qty/20'CTN
KGP6003(J)T	KGP600	H07RN-F 3G1.0mm ² × 1.2m	34(37) × 23 × 26cm	6.3kg/6.84kg	1440/1350pcs
KGP8003(J)T	KGP800	H07RN-F 3G1.0mm ² × 1.2m	34(37) × 23 × 26cm	6.9kg/7.36kg	1440/1350pcs
KGP10003(J)T	KGP1000	H07RN-F 3G1.0mm ² × 1.2m	34(37) × 23 × 26cm	7.5kg/7.90kg	1440/1350pcs
KGP12003(J)T	KGP1200	H07RN-F 3G1.0mm ² × 1.2m	34(37) × 23 × 26cm	7.8kg/8.20kg	1440/1350pcs


GARDEN PUMP



KGPXXX3JF



KGPXXX3F




230V 115V
50Hz 60Hz

Specifications



Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.sucking height	Max.pressure	Dia.of Pipe
KGP6003(J)F	KGP600	600W	3000l/h	35m	8m	3.5bar	1"
KGP8003(J)F	KGP800	800W	3200l/h	40m	8m	4bar	1"
KGP10003(J)F	KGP1000	1000W	3400l/h	44m	8m	4.4bar	1"
KGP12003(J)F	KGP1200	1200W	3600l/h	47m	8m	4.7bar	1"



Type	Certificate No.	Cable Length of cable	Package Size	Weight Approx	Qty/20'CTN
KGP6003(J)F	KGP600	H07RN-F 3G1.0mm ² × 1.2m	34(37) × 23 × 26cm	6.3kg/6.84kg	1440/1350pcs
KGP8003(J)F	KGP800	H07RN-F 3G1.0mm ² × 1.2m	34(37) × 23 × 26cm	6.9kg/7.36kg	1440/1350pcs
KGP10003(J)F	KGP1000	H07RN-F 3G1.0mm ² × 1.2m	34(37) × 23 × 26cm	7.5kg/7.90kg	1440/1350pcs
KGP12003(J)F	KGP1200	H07RN-F 3G1.0mm ² × 1.2m	34(37) × 23 × 26cm	7.8kg/8.20kg	1440/1350pcs


GARDEN PUMP



KGPXXX3JY



KGPXXX3Y




230V 115V
50Hz 60Hz

Specifications



Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.sucking height	Max.pressure	Dia.of Pipe
KGP6003(J)Y	KGP600	600W	3000l/h	35m	8m	3.5bar	1"
KGP8003(J)Y	KGP800	800W	3200l/h	40m	8m	4bar	1"
KGP10003(J)Y	KGP1000	1000W	3400l/h	44m	8m	4.4bar	1"
KGP12003(J)Y	KGP1200	1200W	3600l/h	47m	8m	4.7bar	1"



Type	Certificate No.	Cable Length of cable	Package Size	Weight Approx	Qty/20'CTN
KGP6003(J)Y	KGP600	H07RN-F 3G1.0mm ² × 1.2m	34(37) × 23 × 26cm	6.3kg/6.84kg	1440/1350pcs
KGP8003(J)Y	KGP800	H07RN-F 3G1.0mm ² × 1.2m	34(37) × 23 × 26cm	6.9kg/7.36kg	1440/1350pcs
KGP10003(J)Y	KGP1000	H07RN-F 3G1.0mm ² × 1.2m	34(37) × 23 × 26cm	7.5kg/7.90kg	1440/1350pcs
KGP12003(J)Y	KGP1200	H07RN-F 3G1.0mm ² × 1.2m	34(37) × 23 × 26cm	7.8kg/8.20kg	1440/1350pcs


AUTOMATIC PUMP



KGPXXX1TE



KGPXXX1JTE




230V 115V
50Hz 60Hz

Specifications



Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.sucking height	Max.pressure	Dia.of Pipe
KGP6001(J)TE	KGP600E	600W	3000l/h	35m	8m	3.5bar	1"
KGP8001(J)TE	KGP800E	800W	3200l/h	40m	8m	4bar	1"
KGP10001(J)TE	KGP1000E	1000W	3400l/h	44m	8m	4.4bar	1"
KGP12001(J)TE	KGP1200E	1200W	3600l/h	47m	8m	4.7bar	1"



Type	Certificate No.	Cable Length of cable	Package Size	Weight Approx	Qty/20'CTN
KGP6001(J)TE	KGP600E	H07RN-F 3G1.0mm ² × 1.2m	45(47.5) × 23 × 26cm	7.4kg/7.9kg	1080/1060pcs
KGP8001(J)TE	KGP800E	H07RN-F 3G1.0mm ² × 1.2m	45(47.5) × 23 × 26cm	7.9kg/8.4kg	1080/1060pcs
KGP10001(J)TE	KGP1000E	H07RN-F 3G1.0mm ² × 1.2m	45(47.5) × 23 × 26cm	8.4kg/8.9kg	1080/1060pcs
KGP12001(J)TE	KGP1200E	H07RN-F 3G1.0mm ² × 1.2m	45(47.5) × 23 × 26cm	8.7kg/9.2kg	1080/1060pcs


AUTOMATIC PUMP



KGPXXX1JFE



KGPXXX1FE




230V 115V
50Hz 60Hz

Specifications



Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.sucking height	Max.pressure	Dia.of Pipe
KGP6001(J)FE	KGP600E	600W	3000l/h	35m	8m	3.5bar	1"
KGP8001(J)FE	KGP800E	800W	3200l/h	40m	8m	4bar	1"
KGP10001(J)FE	KGP1000E	1000W	3400l/h	44m	8m	4.4bar	1"
KGP12001(J)FE	KGP1200E	1200W	3600l/h	47m	8m	4.7bar	1"



Type	Certificate No.	Cable Length of cable	Package Size	Weight Approx	Qty/20'CTN
KGP6001(J)FE	KGP600E	H07RN-F 3G1.0mm ² × 1.2m	45(47.5) × 23 × 26cm	7.4kg/7.9kg	1080/1060pcs
KGP8001(J)FE	KGP800E	H07RN-F 3G1.0mm ² × 1.2m	45(47.5) × 23 × 26cm	7.9kg/8.4kg	1080/1060pcs
KGP10001(J)FE	KGP1000E	H07RN-F 3G1.0mm ² × 1.2m	45(47.5) × 23 × 26cm	8.4kg/8.9kg	1080/1060pcs
KGP12001(J)FE	KGP1200E	H07RN-F 3G1.0mm ² × 1.2m	45(47.5) × 23 × 26cm	8.7kg/9.2kg	1080/1060pcs


AUTOMATIC PUMP



KGPXXX1YE



KGPXXX1JYE




230V 115V
50Hz 60Hz

Specifications




Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.sucking height	Max.pressure	Dia.of Pipe
KGP6001(J)YE	KGP600E	600W	3000l/h	35m	8m	3.5bar	1"
KGP8001(J)YE	KGP800E	800W	3200l/h	40m	8m	4bar	1"
KGP10001(J)YE	KGP1000E	1000W	3400l/h	44m	8m	4.4bar	1"
KGP12001(J)YE	KGP1200E	1200W	3600l/h	47m	8m	4.7bar	1"



Type	Certificate No.	Cable Length of cable	Package Size	Weight Approx	Qty/20'CTN
KGP6001(J)YE	KGP600E	H07RN-F 3G1.0mm ² × 1.2m	45(47.5) × 23 × 26cm	7.3kg/7.9kg	1080/1060pcs
KGP8001(J)YE	KGP800E	H07RN-F 3G1.0mm ² × 1.2m	45(47.5) × 23 × 26cm	7.9kg/8.4kg	1080/1060pcs
KGP10001(J)YE	KGP1000E	H07RN-F 3G1.0mm ² × 1.2m	45(47.5) × 23 × 26cm	8.4kg/8.9kg	1080/1060pcs
KGP12001(J)YE	KGP1200E	H07RN-F 3G1.0mm ² × 1.2m	45(47.5) × 23 × 26cm	8.7kg/9.2kg	1080/1060pcs

AUTOMATIC PUMP




230V 115V
50Hz 60Hz

Specifications




Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.sucking height	Max.pressure	Dia.of Pipe
KGP6003(J)TE	KGP600E	600W	3000l/h	35m	8m	3.5bar	1"
KGP8003(J)TE	KGP800E	800W	3200l/h	40m	8m	4bar	1"
KGP10003(J)TE	KGP1000E	1000W	3400l/h	44m	8m	4.4bar	1"
KGP12003(J)TE	KGP1200E	1200W	3600l/h	47m	8m	4.7bar	1"



Type	Certificate No.	Cable Length of cable	Package Size	Weight Approx	Qty/20'CTN
KGP6003(J)TE	KGP600E	H07RN-F 3G1.0mm ² × 1.2m	45(47.5) × 23 × 26cm	7.3kg/7.9kg	1080/1060pcs
KGP8003(J)TE	KGP800E	H07RN-F 3G1.0mm ² × 1.2m	45(47.5) × 23 × 26cm	7.9kg/8.4kg	1080/1060pcs
KGP10003(J)TE	KGP1000E	H07RN-F 3G1.0mm ² × 1.2m	45(47.5) × 23 × 26cm	8.4kg/8.9kg	1080/1060pcs
KGP12003(J)TE	KGP1200E	H07RN-F 3G1.0mm ² × 1.2m	45(47.5) × 23 × 26cm	8.7kg/9.2kg	1080/1060pcs

AUTOMATIC PUMP




230V 115V
50Hz 60Hz

Specifications




Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.sucking height	Max.pressure	Dia.of Pipe
KGP6003(J)FE	KGP600E	600W	3000l/h	35m	8m	3.5bar	1"
KGP8003(J)FE	KGP800E	800W	3200l/h	40m	8m	4bar	1"
KGP10003(J)FE	KGP1000E	1000W	3400l/h	44m	8m	4.4bar	1"
KGP12003(J)FE	KGP1200E	1200W	3600l/h	47m	8m	4.7bar	1"



Type	Certificate No.	Cable Length of cable	Package Size	Weight Approx	Qty/20'CTN
KGP6003(J)FE	KGP600E	H07RN-F 3G1.0mm ² × 1.2m	45(47.5) × 23 × 26cm	7.4kg/7.9kg	1080/1060pcs
KGP8003(J)FE	KGP800E	H07RN-F 3G1.0mm ² × 1.2m	45(47.5) × 23 × 26cm	7.9kg/8.4kg	1080/1060pcs
KGP10003(J)FE	KGP1000E	H07RN-F 3G1.0mm ² × 1.2m	45(47.5) × 23 × 26cm	8.4kg/8.9kg	1080/1060pcs
KGP12003(J)FE	KGP1200E	H07RN-F 3G1.0mm ² × 1.2m	45(47.5) × 23 × 26cm	8.7kg/9.2kg	1080/1060pcs

AUTOMATIC PUMP




230V 115V
50Hz 60Hz

Specifications




Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.sucking height	Max.pressure	Dia.of Pipe
KGP6003(J)YE	KGP600E	600W	3000l/h	35m	8m	3.5bar	1"
KGP8003(J)YE	KGP800E	800W	3200l/h	40m	8m	4bar	1"
KGP10003(J)YE	KGP1000E	1000W	3400l/h	44m	8m	4.4bar	1"
KGP12003(J)YE	KGP1200E	1200W	3600l/h	47m	8m	4.7bar	1"



Type	Certificate No.	Cable Length of cable	Package Size	Weight Approx	Qty/20'CTN
KGP6003(J)YE	KGP600E	H07RN-F 3G1.0mm ² × 1.2m	45(47.5) × 23 × 26cm	7.3kg/7.9kg	1080/1060pcs
KGP8003(J)YE	KGP800E	H07RN-F 3G1.0mm ² × 1.2m	45(47.5) × 23 × 26cm	7.9kg/8.4kg	1080/1060pcs
KGP10003(J)YE	KGP1000E	H07RN-F 3G1.0mm ² × 1.2m	45(47.5) × 23 × 26cm	8.4kg/8.9kg	1080/1060pcs
KGP12003(J)YE	KGP1200E	H07RN-F 3G1.0mm ² × 1.2m	45(47.5) × 23 × 26cm	8.7kg/9.2kg	1080/1060pcs

BOOSTER STATION




230V 115V
50Hz 60Hz

Specifications




Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.sucking height	Max.pressure	Dia.of Pipe
KGP6001(J)WC	KGP600C	600W	3000l/h	35m	8m	1.5~2.6bar	1"
KGP8001(J)WC	KGP800C	800W	3200l/h	40m	8m	1.5~3bar	1"
KGP10001(J)WC	KGP1000C	1000W	3400l/h	44m	8m	1.5~3bar	1"
KGP12001(J)WC	KGP1200C	1200W	3600l/h	47m	8m	1.5~3bar	1"



Type	Certificate No.	Cable Length of cable	Package Size	Weight Approx	Qty/20'CTN
KGP6001(J)WC	KGP600C	H07RN-F 3G1.0mm ² × 1.2m	46 × 28 × 50cm	11.3kg/12.3kg	450pcs
KGP8001(J)WC	KGP800C	H07RN-F 3G1.0mm ² × 1.2m	46 × 28 × 50cm	12.0kg/12.8kg	450pcs
KGP10001(J)WC	KGP1000C	H07RN-F 3G1.0mm ² × 1.2m	46 × 28 × 50cm	12.2kg/13.2kg	450pcs
KGP12001(J)WC	KGP1200C	H07RN-F 3G1.0mm ² × 1.2m	46 × 28 × 50cm	12.6kg/13.6kg	450pcs

BOOSTER STATION



Specifications

		 w	 l/h	 m	 m	 Bar	
Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.sucking height	Max.pressure	Dia.of Pipe
KGP6001(J)WD	KGP600D	600W	3000l/h	35m	8m	1.5~2.6bar	1"
KGP8001(J)WD	KGP800D	800W	3200l/h	40m	8m	1.5~3bar	1"
KGP10001(J)WD	KGP1000D	1000W	3400l/h	44m	8m	1.5~3bar	1"
KGP12001(J)WD	KGP1200D	1200W	3600l/h	47m	8m	1.5~3bar	1"

					
m		cm	Kg	pcs/20'C/TN	
Type	Certificate No.	Cable Length of cable	Package Size	Weight Approx	Qty/20'C/TN
KGP6001(J)WD	KGP600D	H07RN-F 3G1.0mm ² × 1.2m	46 × 28 × 55cm	12.3kg/13.3kg	400pcs
KGP8001(J)WD	KGP800D	H07RN-F 3G1.0mm ² × 1.2m	46 × 28 × 55cm	13.0kg/13.8kg	400pcs
KGP10001(J)WD	KGP1000D	H07RN-F 3G1.0mm ² × 1.2m	46 × 28 × 55cm	13.2kg/14.2kg	400pcs
KGP12001(J)WD	KGP1200D	H07RN-F 3G1.0mm ² × 1.2m	46 × 28 × 55cm	13.6kg/14.6kg	400pcs

BOOSTER STATION




Specifications

							
		w	l/h	m	m	Bar	
Type	Certificate No.	Rated Power	Max.Pump Rate	Max.Height	Max.sucking height	Max.pressure	Dia.of Pipe
KGP6003(J)WC	KGP600C	600W	3000l/h	35m	8m	1.5~2.6bar	1"
KGP8003(J)WC	KGP800C	800W	3200l/h	40m	8m	1.5~3bar	1"
KGP10003(J)WC	KGP1000C	1000W	3400l/h	44m	8m	1.5~3bar	1"
KGP12003(J)WC	KGP1200C	1200W	3600l/h	47m	8m	1.5~3bar	1"

					
m		cm		Kg	pcs/20'CTN
Type	Certificate No.	Cable Length of cable	Package Size	Weight Approx	Qty/20'CTN
KGP6003(J)WC	KGP600C	H07RN-F 3G1.0mm ² ×1.2m	46×28×50cm	11.3kg/12.3kg	450pcs
KGP8003(J)WC	KGP800C	H07RN-F 3G1.0mm ² ×1.2m	46×28×50cm	12.0kg/12.8kg	450pcs
KGP10003(J)WC	KGP1000C	H07RN-F 3G1.0mm ² ×1.2m	46×28×50cm	12.2kg/13.2kg	450pcs
KGP12003(J)WC	KGP1200C	H07RN-F 3G1.0mm ² ×1.2m	46×28×50cm	12.6kg/13.6kg	450pcs

BOOSTER STATION




230V 115V
50Hz 60Hz

Specifications

Type	Certificate No.	Rated Power w	Max.Pump Rate l/h	Max.Height m	Max.sucking height m	Max.pressure Bar	Dia.of Pipe
KGP6003(J)WD	KGP600D	600W	3000l/h	35m	8m	1.5~2.6bar	1"
KGP8003(J)WD	KGP800D	800W	3200l/h	40m	8m	1.5~3bar	1"
KGP10003(J)WD	KGP1000D	1000W	3400l/h	44m	8m	1.5~3bar	1"
KGP12003(J)WD	KGP1200D	1200W	3600l/h	47m	8m	1.5~3bar	1"

Type	Certificate No.	Cable Length of cable	Package Size	Weight Approx	Qty/20'CTN
KGP6003(J)WD	KGP600D	H07RN-F 3G1.0mm ² × 1.2m	46 × 28 × 55cm	12.3kg/13.3kg	400pcs
KGP8003(J)WD	KGP800D	H07RN-F 3G1.0mm ² × 1.2m	46 × 28 × 55cm	13.0kg/13.8kg	400pcs
KGP10003(J)WD	KGP1000D	H07RN-F 3G1.0mm ² × 1.2m	46 × 28 × 55cm	13.2kg/14.2kg	400pcs
KGP12003(J)WD	KGP1200D	H07RN-F 3G1.0mm ² × 1.2m	46 × 28 × 55cm	13.6kg/14.8kg	400pcs

BOOSTER STATION



230V 115V
50Hz 60Hz

Specifications

Type	Certificate No.	Rated Power w	Max.Pump Rate l/h	Max.Height m	Max.sucking height m	Max.pressure Bar	Dia.of Pipe
KGP6003CS	KGP600C	600W	3000l/h	35m	8m	1.5~2.6bar	1"
KGP8003CS	KGP800C	800W	3200l/h	40m	8m	1.5~3bar	1"
KGP10003CS	KGP1000C	1000W	3400l/h	44m	8m	1.5~3bar	1"
KGP12003CS	KGP1200C	1200W	3600l/h	47m	8m	1.5~3bar	1"
KGP6003JWDS	KGP600D	600W	3000l/h	35m	8m	1.5~2.6bar	1"
KGP8003JWDS	KGP800D	800W	3200l/h	40m	8m	1.5~3bar	1"
KGP10003JWDS	KGP1000D	1000W	3400l/h	44m	8m	1.5~3bar	1"
KGP12003JWDS	KGP1200D	1200W	3600l/h	47m	8m	1.5~3bar	1"

Type	Certificate No.	Cable Length of cable	Package Size	Weight Approx	Qty/20'CTN
KGP6003CS	KGP600C	H07RN-F 3G1.0mm ² × 1.2m	46 × 28 × 50cm	11.3kg/12.3kg	450pcs
KGP8003CS	KGP800C	H07RN-F 3G1.0mm ² × 1.2m	46 × 28 × 50cm	12.0kg/12.8kg	450pcs
KGP10003CS	KGP1000C	H07RN-F 3G1.0mm ² × 1.2m	46 × 28 × 50cm	12.2kg/13.2kg	450pcs
KGP12003CS	KGP1200C	H07RN-F 3G1.0mm ² × 1.2m	46 × 28 × 50cm	12.6kg/13.6kg	450pcs
KGP6003JWDS	KGP600D	H07RN-F 3G1.0mm ² × 1.2m	46 × 28 × 55cm	12.3kg/13.3kg	400pcs
KGP8003JWDS	KGP800D	H07RN-F 3G1.0mm ² × 1.2m	46 × 28 × 55cm	13.0kg/13.8kg	400pcs
KGP10003JWDS	KGP1000D	H07RN-F 3G1.0mm ² × 1.2m	46 × 28 × 55cm	13.2kg/14.2kg	400pcs
KGP12003JWDS	KGP1200D	H07RN-F 3G1.0mm ² × 1.2m	46 × 28 × 55cm	13.6kg/14.8kg	400pcs

AUTOMATIC PUMP CONTROL



Sk1
230V/50Hz-60Hz
Max.1MPa(10bar)
Max.60℃
17.5x12x19cm
50x37x40cm/16pcs
17.5kg/21.5kg

PRESSURE TANK



ABSORBING TUBE



AT-1

PRESSURE GAUGE



PG-KC-01

PG-KC-02

HIGH PRESSURE TUBE



HPT-KC-01

HPT-KC-02

HPT-KC-02

BRASS FITTING



BF-KC-01

BF-KC-02

NV-KC-01

NV-KC-02